



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States—Continued.

Cities.	Week ended—	Total deaths from all causes	Tuberculosis.		Typhoid fever.		Scarlet fever.		Diphtheria.		Measles.		Whooping cough.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Melrose, Mass.	Aug. 27	0												
Milwaukee, Wis.	do	96	11	11	32	2	21	1	14	2	6		6	1
Mobile, Ala.	Aug. 20	21		7	2	1	1		1					
Do	Aug. 27	16		2	1	1			1					
Moline, Ill.	do	12		1	1									
Montclair, N. J.	do	7		2										
Morristown, N. J.	Aug. 20	6							1					
Nashville, Tenn.	Aug. 27	35	9	4	21	2	3				3			
New Bedford, Mass.	do	38	4	1	12		1							
Newburyport, Mass.	do	3												
New Orleans, La.	do	109	45	17	8	1	3		7		3			
Newton, Mass.	do	14	1	1	2	1			1					
Orange, N. J.	do	9		1	1	1								
Paducah, Ky.	do	8		1										
Palmer, Mass.	do	1			2									
Pontiac, Mich.	July 2	1	19		1		5		6		10			
Do	July 9	5	18	1			3		3		5			
Do	July 16	6		2			1		2					
Do	July 23	6		1										
Portsmouth, N. H.	Aug. 27													
Portsmouth, Va.	do	7					1							
Racine, Wis.	Aug. 20	13		1			1		2					
Do	Aug. 27	10					1							
Rock Island, Ill.	do	7			1	1	1		1					
Sacramento, Cal.	Aug. 20	15		4										
San Antonio, Tex.	Aug. 27	15		14	6	1								
San Francisco, Cal.	Aug. 20	127	26	15	9	2	6		3	1	9	1		
Saratoga Springs, N. Y.	Aug. 13	8									2			
Do	Aug. 20	7	2	1	1				1					
Schenectady, N. Y.	do	22	1	3	15		1		2		1		2	1
Seattle, Wash.	Aug. 6	40	5	5	8	1	5		2		2		1	
Do	Aug. 13	38	4	5	23		1		3		6		3	1
Do	Aug. 20	52	4	3	11		1		3		4		2	3
Somerville, Mass.	Aug. 27	2	7	1	3		2		1			1		
South Bend, Ind.	do	13	2	1										
Springfield, Mass.	do	20	2	2	1				5	1	1		1	
Steelton, Pa.	do	5	6	1			1		7					
Superior, Wis.	do	13					5		3					
Tacoma, Wash.	Aug. 20	16					2	1	1	1	1			
Terre Haute, Ind.	Aug. 27	17				1	4				1			
Toledo, Ohio.	do	46		1	9	1	1		5		1			
Topeka, Kans.	Aug. 13	0												
Do	Aug. 27	0												
Trenton, N. J.	do	2	4	2	10		2		2					
Waltham, Mass.	do	7			5		2						2	
Wilkinsburg, Pa.	do	5			1									
Wilmington, Del.	do	27		2					1					
Woburn, Mass.	do	6				2								
Worcester, Mass.	Aug. 20	53	5	5	72		1		7				4	
York, Pa.	Aug. 27	7			2				10	2			6	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA.—Month of June, 1910. Population, 2,037,929. Total number of deaths from all causes 2,630, including typhoid fever 54, measles 18, scarlet fever 4, diphtheria 17, tuberculosis 391.

CONNECTICUT—*Stamford*.—Month of August, 1910. Population, 24,000. Total number of deaths from all causes not reported. No deaths from contagious diseases reported. Cases reported: Typhoid fever 3, scarlet fever 1, diphtheria 2, tuberculosis 5.

FLORIDA.—Reports from the state board of health show as follows:

Week ended August 20, 1910. Typhoid fever was reported present in 3 localities with 14 cases, smallpox in 2 counties (Hillsboro and Santa Rosa) with 6 cases, malaria in 3 localities with 8 cases, diphtheria in 6 localities with 7 cases, tuberculosis in 4 localities with 6 cases.

Week ended August 27, 1910. Typhoid fever present in 7 localities with 14 cases, diphtheria in 4 localities with 5 cases, malaria in 5 localities with 8 cases, tuberculosis in 3 localities with 4 cases.

Pensacola.—Month of August, 1910. Population, 35,000. Total number of deaths from all causes 41, including typhoid fever 2, tuberculosis 6.

Tampa.—Month of August, 1910. Population, 15,839. Total number of deaths from all causes 55, including typhoid fever 1, malarial fever 3, tuberculosis 8. Cases reported: Typhoid fever 7, diphtheria 8.

ILLINOIS—*Quincy*.—Month of August, 1910. Population, 43,000. Total number of deaths from all causes 49, including typhoid fever 1, tuberculosis 5. Cases reported: Typhoid fever 1, diphtheria 2.

INDIANA.—Month of June, 1910. Population, 2,732,550. Total number of deaths from all causes 2,588, including typhoid fever 27, scarlet fever 12, diphtheria 15, tuberculosis 365. Cases reported: Typhoid fever 91 cases in 31 counties, scarlet fever 244 cases in 50 counties, diphtheria 90 cases in 27 counties.

IOWA.—Month of July, 1910. Population, 2,192,608. Total number of deaths from all causes 1,504, including typhoid fever 22, measles 8, scarlet fever 6, diphtheria 10, tuberculosis 103.

MASSACHUSETTS.—Week ended June 4, 1910. Population, 2,338,979. Total number of deaths from all causes 698, including typhoid fever 7, measles 6, scarlet fever 8, diphtheria 6, tuberculosis 78.

Week ended June 11, 1910. Total number of deaths 683, including typhoid fever 6, measles 6, scarlet fever 2, diphtheria 8, tuberculosis 68.

Week ended June 18, 1910. Total number of deaths 700, including typhoid fever 4, measles 6, scarlet fever 10, diphtheria 17, tuberculosis 65.

Week ended June 25, 1910. Total number of deaths 676, including typhoid fever 8, measles 7, scarlet fever 6, diphtheria 4, tuberculosis 57.

MICHIGAN.—Month of July, 1910. Population 2,668,308. Total number of deaths from all causes 3,078, including typhoid fever 26, smallpox 1 (Manistee), measles 20, scarlet fever 11, diphtheria 26, tuberculosis 209. Cases reported: Typhoid fever 150 cases in 80 localities, smallpox 125 cases in 41 localities, measles 320 cases in 60 localities, scarlet fever 240 cases in 55 localities, diphtheria 210 cases in 59 localities, tuberculosis 141 cases.

MINNESOTA.—Month of May, 1910. Population, 1,979,658. Total number of deaths from all causes 1,661, including typhoid fever 15, measles 57, scarlet fever 33, diphtheria 42, tuberculosis 170.

St. Paul.—Month of May, 1910. Population, 235,000. Total number of deaths from all causes 217, including typhoid fever 2, smallpox 1, measles 2, scarlet fever 4, diphtheria 10, tuberculosis 26. Cases reported: Smallpox 9, measles 63, scarlet fever 123, diphtheria 105.

NORTH CAROLINA.—Reports from the state board of health for the month of June, 1910, show typhoid fever present in 63 counties, smallpox in 38 counties, measles in 29 counties, scarlet fever in 13 counties, malarial fever in 5 counties, pernicious malarial fever in 4 counties, hemorrhagic malarial fever in 4 counties, pellagra in 2 counties.

UTAH.—Month of July, 1910. Population, 346,873. Total number of deaths from all causes 294, including typhoid fever 13, scarlet fever 3, diphtheria 5, tuberculosis 10. Cases reported: Typhoid fever 82, smallpox 21, measles 20, scarlet fever 128, diphtheria 21, tuberculosis 12.